nuova SIMONELLI®

The coffee machines you can trust.

APPIA life.

Coffee machines for life.

ENG

nuova
SIMONELLI®
The coffee machines you can trust.

life.

Coffee machines for life.

APPIA life.

the family expands

XT SERIES

APPIA LIFE COMPACT
2 GROUPS

APPIA LIFE
3 GROUPS

APPIA LIFE
1 GROUPS

STANDARD SERIES

APPIA LIFE A GUARANTEE FOR SUCCESS

Appia Life is created based on the success of the Appia.

With its high productivity and high performance, this machine is appreciated by thousands of baristas worldwide.

The continuous studying and researching of the Nuova Simonelli team regarding the Appia Life, made possible the creation of a superb machine; even more comfortable for the barista with even simpler maintenance compared to the previous Appia.

Appia Life has been studied for those who want a simple and trustworthy machine. It is the perfect coffee maker for large companies, coffee shop chains or wherever there is a need to prepare an abundance of great coffee.

Simple and innovative. Appia life stands out, not only for its proven reliability but also for the modern style that makes it unique.

On top of this, now Appia Life was designed to save energy, sustain the environment, and be cost-effective.

Appia Life is now also available with a display in the XT version.

High productivity and more sustainable

simple and... innovative

ENERGY SAVING & COST-EFFECTIVE

INSULATION

The boiler of the Appia Life has DRYTEX THERMICAL technology insulation that

reduces **13%***

of energy consumption compared to the Appia II, and it comes as standard series in the whole range of the machine.

CONSUMPTION

Appia Life guarantees a

20% reduction

in energy consumption and environmental impact. The Life Cycle Assessment** analysis confirms that the Appia Life with its new thermal system, new materials, and general optimization of the mechanical components, has **20%** less environmental impact compared to the Appia II.

life.

* value calculated on Appia Life vs Appia II benchmark

** Life Cycle Assessment is a structured and standardized method used worldwide that quantifies the potential impacts on the environment and human health associated with the use of a product, starting with respecting resources and emissions.

life.

APPIA LIFE: PRODUCTIVITY AND CONSISTENCY

HIGH PRODUCTIVITY

Appia Life is able to prepare up to **250** cappuccinos* on daily basis.

MACHINE CONSISTENCY. BECAUSE EVERY CUP COUNTS.

The machine consistency is based on the following technology:

- **SIS – SOFT INFUSION SYSTEM**
  SIS guarantees a soft infusion allowing a consistent result, it compensates for any incorrect coffee tamping and it avoids the channelling effect.

- **EASYCREAM**
  It allows the quick and automatic making of a dense and velvety milk cream. The nozzles thermal insulation allows this component to be safe, reliable and hygienic.

*Data: Appia Life 2groups volumetric

APPIA life.

XT SERIES

EVEN MORE ADVANCED

The new XT version completes the Appia Life machines family, available in 2 and 3 groups in the volumetric version (5 dispensing keys per group).

The performance remains unchanged compared to the 2 and 3 group Appia Life models, but the Appia Life XT has evolved in the form and in the innovative details that improve the final results.

TFT DISPLAY FEATURES

DOSE PROGRAM
It allows programming the dose for each group.

CLEANING
It allows scheduling the group cleaning and set up the alarm.

COUNTERS
It's possible to see how many times each group dispensed coffee.

DISPLAY AND BUTTONS
It's possible to adjust the brightness of the buttons and display.

SETTINGS
It allows the setting of standard functions and it provides information about the software and connection.

GREAT COMFORT MEANS HAPPY BARISTAS

Happy barista means greater productivity.

Appia Life makes productivity even more efficient thanks to it's ergonomic style, improving the service speed and assisting the barista in day-to-day performances.

REVERSE MIRROR
This feature allows the barista to check the coffee dripping and cleanliness of the filter holder from a much more comfortable position.

ALIGNED CUP WARMER
The cup warmer is aligned with the top of the machine. Thanks to this feature, the user has an easier reach and speeds up the working process.

PUSH BUTTON PANEL
The push-button panel has been re-created to be user friendly and more resistant in the long run.

EASY MAINTENANCE
Appia Life has been designed to be more efficient when it come to maintenance. The complete new style of the machine facilitates the user in any operations routine. Its new adjustable nozzle attachment, new side opening system and redesigned groups, are all features that allow it to be majorly efficient.

NO ONE HAS EVER GIVEN YOU SO MUCH FOR THE SAME VALUE AS APPIA LIFE

Appia Life is available with 2 groups as "Semi-automatic" and "Volumetric", which has useful functions including the practical "automatic wash".

SEMI-AUTOMATIC **VOLUMETRIC**

redesigned and enhanced

NEW DESIGN

Even more compact, the Appia Life empowers a stronger connection between machine and barista. The new stylish design allows the coffee machine to be suitable for any arrangement.

With the edition of two chrome bands wraped around the rear panel, the machine radiates a serene fascination.

RAISED GROUP

LOW GROUP

SINGLE GROUP

COMPACT

FUNCTIONAL ASPECTS

Appia Life has all the great features of the previous Appia, only better: push & pull levers, soft-touch portafilter, stainless steel drip tray, adjustable steel nozzles, the wide work surface, the water level indicator, the dual scale pressure gauge and the raised or standard height groups are all re-confirmed features of this incredible machine.

The remote control function is one of the newest features of the Appia Life. It helps the user control and manage the machine from a remote device.

ENERGY EFFICIENCY

LONG LASTING MACHINE



SMART

STAINLESS STEEL STEAM WAND

ALIGNED CUP WARMER

PUSH & PULL LEVERS

AUTOMATIC CLEANING

DIGITAL CONTROL

REMOTE CONTROLLED

RAISED OR LOW GROUP

EASY CREAM SYSTEM

DELICIOUS COFFEE

REVERSE MIRROR

TOUGH

USER FRIENDLY

XT SERIES

STANDARD SERIES

XT SERIES

VERSION		XT 2 GROUPS	XT 3 GROUPS
MODEL		Volumetric	Volumetric
BODY	MATERIAL	stainlesssteel with ABS	stainlesssteel with ABS
BOILER	TOTAL CAPACITY	11lt	15lt
	INSULATION	included	included
	PRESSURE SENSORS	included	included
GROUP	RAISED GROUPS	optional	optional
	LED LIGHTS	included	included
STEAM	EASYCREAM	optional	optional
	COOL TOUCH STEAM WAND	optional	optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
RAIL		optional	optional
REMOTE CONTROL		optional	optional
DISPLAY		included	included
DIMENSION	W xD xH mm	784 x 545 x 498	1014 x 545 x 498
WEIGHT	NET/GROS KG	54/66	72/85
POWER	VOLTAGE	220-240V 50-60Hz 380-415V 3N	220-240V 50-60Hz 380-415V 3N
	MAXIMUM POWER	3350	5400

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the "standard" version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.



Hole size and distance 3 GROUPS

STANDARD
SERIES

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the "standard" version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.

Hole size and distance 2 GROUPS



VERSION		2 GROUPS		3 GROUPS	
MODEL		Semi-automatic	Volumetric	Semi-automatic	Volumetric
BODY	MATERIAL	stainlesssteel with ABS	stainlesssteel with ABS	stainlesssteel with ABS	stainlesssteel with ABS
BOILER	TOTAL CAPACITY	11lt	11lt	15lt	15lt
	INSULATION	included	included	included	included
GROUP	RAISED GROUPS	optional	optional	optional	optional
STEAM	EASYCREAM		optional		optional
	COOL TOUCH STEAM WAND	optional	optional	optional	optional
HOT WATER	N. WAND	1	1	1	1
	ECONOMIZER	optional	optional	optional	optional
CUPWARMER	ON/OFF ELECTRIC		optional		optional
RAIL		optional	optional	optional	optional
REMOTE CONTROL			optional		optional
DIMENSION	W x D x H mm	784 x 544 x 500	784 x 544 x 500	1014 x 544 x 500	1014 x 544 x 500
WEIGHT	NET/GROS KG	54/66	54/66	72/85	72/85
POWER	VOLTAGE	220-240V 50-60Hz 380-415V V3N	220-240V 50-60Hz 380-415V V3N	220-240V 50-60Hz 380-415V V3N	220-240V 50-60Hz 380-415V V3N
	MAXIMUM POWER	3350	3350	5400	5400

STANDARD SERIES

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the "standard" version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.

Hole size and distance COMPACT



VERSION		COMPACT	
MODEL		Semi-automatic	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	7.5lt	7.5lt
	INSULATION	included	included
GROUP	RAISED GROUPS	optional	optional
STEAM	EASYCREAM		optional
	COOL TOUCH STEAM WAND	optional	optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
REMOTE CONTROL			optional
DIMENSION	W x D x H mm	554 x 545 x 498	554 x 545 x 498
WEIGHT	NET/GROS KG	42,5/52,5	42,5/52,5
POWER	VOLTAGE	220-240 V 50-60Hz	220-240 V 50-60Hz
	MAXIMUM POWER	2900	2900

STANDARD
SERIES

VERSION		1 GROUP	
MODEL		Semi-automatic	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	5lt	5lt
	INSULATION	included	included
GROUP	RAISED GROUPS	included	included
STEAM	EASYCREAM		optional
	COOL TOUCH STEAM WAND	optional	optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
REMOTE CONTROL			optional
DIMENSION	W x D x H mm	404 x 545 x 498	404 x 545 x 498
WEIGHT	NET/GROS KG	32,5/41	32,5/41
POWER	VOLTAGE	220-240 V 50-60Hz	220-240 V 50-60Hz
	MAXIMUM POWER	1900	1900

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the "standard" version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.

Hole size and distance SINGLE GROUP

APPIA life.

APPIA LIFE XT
3 GROUPS

VOLUMETRIC

APPIA LIFE XT
2 GROUPS

VOLUMETRIC

COMPARISON SHEET

VERSION		XT 3 GROUPS	XT 2 GROUPS
MODEL		**Volumetric**	**Volumetric**
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	15lt	11lt
	INSULATION	included	included
	PRESSURE SENSORS	included	included
GROUP	RAISED GROUPS	optional	optional
	LED LIGHTS	included	included
STEAM	EASYCREAM	optional	optional
	COOL TOUCH STEAM WAND	optional	optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
RAIL		optional	optional
REMOTE CONTROL		optional	optional
DISPLAY		included	included
DIMENSION	WXDXH MM	1014x545x498	784x545x498
WEIGHT	NET/GROS KG	72/85	54/66
POWER	VOLTAGE	220-240V 50-60Hz 380-415V 3N	220-240V 50-60Hz 380-415V 3N
	MAXIMUM POWER	5400	3350

APPIA LIFE
3 GROUPS

SEMI-AUTOMATIC

VOLUMETRIC

APPIA LIFE
2 GROUPS

SEMI-AUTOMATIC

VOLUMETRIC

APPIA LIFE COMPACT
2 GROUPS

SEMI-AUTOMATIC

VOLUMETRIC

APPIA LIFE
1 GROUP

SEMI-AUTOMATIC

VOLUMETRIC

VERSION		3 GROUPS		2 GROUPS		COMPACT		1 GROUP	
MODEL		**Semi-automatic**	**Volumetric**	**Semi-automatic**	**Volumetric**	**Semi-automatic**	**Volumetric**	**Semi-automatic**	**Volumetric**
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	15lt	15lt	11lt	11lt	7,5lt	7,5lt	5lt	5lt
	INSULATION	included	included	included	included	included	included	included	included
GROUP	RAISED GROUPS	optional	optional	optional	optional	optional	optional	included	included
STEAM	EASYCREAM		optional		optional		optional		optional
HOT WATER	N. WAND	1	1	1	1	1	1	1	1
	ECONOMIZER	optional	optional	optional	optional	optional	optional	optional	optional
CUPWARMER	ON/OFF ELECTRIC		optional		optional	optional	optional	optional	optional
RAIL		optional	optional	optional	optional				
REMOTE CONTROL			optional		optional		optional		optional
DIMENSION	WXDXH MM	1014x544x500	1014x544x500	784x544x500	784x544x500	554x545x498	554x545x498	404x545x498	404x545x498
WEIGHT	NET/GROS KG	72/85	72/85	54/66	54/66	42,5/52,5	42,5/52,5	32,5/41	32,5/41
POWER	VOLTAGE	220-240V 50 - 60Hz 380-415V 3N	220-240V 50 - 60Hz 380-415V 3N	220-240V 50 - 60Hz 380-415V 3N	220-240V 50 - 60Hz 380-415V 3N	220-240 V 50-60Hz	220-240 V 50-60Hz	220-240 V 50-60Hz	220-240 V 50-60Hz
	MAXIMUM POWER	5400	5400	3350	3350	2900	2900	1900	1900

APPIA life.

Coffee machines for life.

nuova
SIMONELLI®
The coffee machines you can trust.

nuova SIMONELLI®
The coffee machines you can trust.

ITALY
Simonelli Group
Via E. Betti, 1
62020 Belforte del Chienti
Macerata - Italy
T +39 0733 9501
F +39 0733 950242
info@simonelligroup.it
www.simonelligroup.it

SINGAPORE
Simonelli Group Asia Pacific Pte Ltd
380 Jalan Besar
#06-03-04, ARC 380,
Singapore 209000
T +65 68410985
www.nuovasimonelliasiapacific.com

USA
Nuova Distribution Usa
6940 Salashan Pkwy, Bldg. A
Ferndale, WA 98248
T +1 360 366 2226
F +1 360 366 4015
info@simonelliusa.com
www.simonelliusa.com

FRANCE
Nuova Distribution France
Hexapole - Actipole - Bat 5
Rue Maurice Herzog
73420 Viviers Du Lac
T +33 (0) 9 67894852
F +33 (0) 4 79544852
info@nuovadistribution.fr